

Overview of the process

Diagrams and cutting directions were designed (see attached). The scarf was designed to use 64 strips of 60-inch wide fabric. These run up and down on the scarf.

Fabric and ribbon ordered



Location secured and volunteers recruited in the Dallas, Texas area



Scarf construction

1. Mark out the floor of the gym with measurements for cutting the strips.



2. Lay out the fabric according to the cutting diagram. (attached)



3. Cut strips.



4. Mark sides of fabric to match to the next strip.



5. Pin strips together for sewing.



6. Sew strips together in groups of two.



7. Iron seam down.



8. Sew the seam down.



9. Sew all 64 strips into pairs.
Sew pairs into fours, repeat
until there are three sections
with strips 1-21, 22-43, 43-
64

10. Paint logo.



11. Sew three parts together.



12. Trim edges.



13. Assemble ribbon.



14. Sew the ribbon on to the scarf.



15. Sew on binding and roll top edge.



16. Pack for shipping.

17. Unpack at International
Camporee.



18. Mount on 60ft ring.



19. Thread through slide.



20. Display scarf and slide.



To construct the Slide


1. Select materials.



2. Build metal frame.



3. Weld front frame.



4. Weld rings.



5. Attach rings to frame.



6. Clean frame and rings for painting.




7. Paint frame and rings.



8. Attach front panel.



9. Put logo on the front of the slide.



10. Mount the 60 foot ring to the front of the slide.

